

St. Peter's Lutheran Cemetery

Zurich Ontario



BALL'S CEMETERY – CENTRAL HURON



**Hullett Township Huron County
Municipality: Central Huron**



St. John The Devine Anglican Church

Arva, Ontario





St. James Roman Catholic Cemetery Seaforth Ont.



Wingham, Ontario



SAMPLES

OF

DECORATIVE FENCING

PRODUCTS

BENITOITE

Details + Specification

- E-coat protective primer
- Powder coated high gloss black premium finish
- Made from galvalume steel
- Pre-assembled fence sections make fence installation quick and easy
- Provides elegant security for pools and other home or business applications
- The perfect finishing touch for any landscape

STANDARD PANEL HEIGHTS

- 48" (1219mm)
- 60" (1524mm)
- 70" (1778mm)

STANDARD PANEL WIDTH


- 92 3/4" (2355.85MM)

RAILS

- 1" x 1" (25mm x 25mm) 14 Gauge

PICKETS

- 5/8" x 5/8" (16mm x 16mm) 16 Gauge



TIGER EYE

POST, RAILS & PICKETS

- Cold Formed Steel Tubing Exterior and Interior Galvalume™ Coating
- Chromate Conversion Coating
- Electrostatically applied
- Thermally Bonded Polyester Powder Coating
- Minimum Film Thickness 2.5 mm
- E.coating available

STANDARD PANEL HEIGHTS posts caps and brackets

48" (1219mm)

60" (1524mm)

70" (1778mm)

- Optional Heights Available Upon Request*

Stainless Steel

STANDARD PANEL WIDTH

92 3/4" (2355.85MM)

RAILS

1" x 1" (25mm x 25mm) 14 Gauge

PICKETS

5/8" x 5/8" (16mm x 16mm) 18 Gauge



DIAMOND

POST, RAILS & PICKETS

- Cold-Formed Steel Tubing Exterior and
- Interior Galvalume™ Coating
- Chromate Conversion Coating
- Electrostatically applied
- Thermally Bonded Polyester Powder Coating
- Minimum Film Thickness 2.5 mm
- E.coating available

STANDARD PANEL WIDTH

92 3/4" (2355.85MM)

STANDARD PANEL HEIGHTS

48" (1219mm)

60" (1524mm)


70" (1778mm)

- Optional Heights Available Upon Request

RAILS

1" x 1" (25mm x 25mm) 14 Gauge

PICKETS 5/8" x 5/8" (16mm x 16mm) 18 Gauge



Section of
original fence
Located along
Highway 83



